## **Product Information** AVENO CGLP ISO 32

0002-000264



## Description

AVENO CGLP ISO 32 is a mineral CGLP slide way oil. It is distinguished by its special lubrication and sliding properties and its high adhesiveness. Therefore it is particularly suitable for the lubrication of plain and slide ways. AVENO CGLP ISO 32 is created with mineral base oils and contains additives and corrosion inhibitors to prevent rust and staining of the plain and slide ways. AVENO CGLP ISO 32 is largely resistant to watery metalworking fluids such as drilling, cutting and sanding emulsions and solutions. The lubricant film is not washed off by these fluids.

## Instructions for use

AVENO CGLP ISO 32 is suitable for all types of lubrication such as pressure, circulation and central lubrication, for splash and pressure running lubrication, as well as lubrication by hand with an oil can. It is also suitable as a bearing and gearbox lubricant.

Quality classification	
Specification	
• AFNOR E 60-203 L-G/HG	• ISO 19378 GA/GB
• DIN 51502 (CGLP)	• ISO 6743-13 GA/GB
• DIN 51517-3	• ISO 6743-6 CKC
	• SAE MS1007 Typ E
	• SH/T 0361-98 L-G
Recommendation	
• Fives Cincinnati P-53	• GM LW-03-1-04, GM LS-2
Properties	
Very good stick-slip behavior	• Adhesion
<ul> <li>Excellent corrosion protection, no rust or staining</li> </ul>	<ul> <li>Resistant to wattery metalworking fluids</li> </ul>
Good demulsification characteristics	

## Technical specifications

Properties	Data	Unit	Testing under	
Kinematic Viscosity at 40°C	32.3	mm²/s	DIN 51659-2:2017-02	
Kinematic Viscosity at 100°C	5.8	mm²/s	DIN 51659-2:2017-02	
Viscosity Index	224		DIN ISO 2909:2004-08	
Appearance	YELLOW		VISUELL	
Density at 15°C	853	kg/m³	DIN EN ISO 12185:1997-11	
Pour Point	-33	°C	ASTM D 7346:2015	

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments of the Deutsche Ölwerke Lubmin GmbH. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.