## **Product Information** AVENO SEMIS 5W-30

0002-000026



## Description

Pour Point

Total Base Number (TBN)

-39

9.8

AVENO SEMIS 5W-30 is a semi-synthetic smooth-running engine oil for petrol and diesel car engines with or without turbocharging and direct injection. Facilitates extended oil change intervals as per manufacturer's instructions. AVENO SEMIS 5W-30 is characterized by its excellent cold starting properties, minimization of fuel consumption, friction and wear. With AVENO SEMIS 5W-30 a reliable and heavy-duty engine oil has been developed.

## Instructions for use

AVENO SEMIS 5W-30 is an engine oil for year-round use, and is ideal for all modern petrol and diesel car engines. AVENO SEMIS 5W-30 can be used in engines with the specifications indicated. The operating instructions of the automobile and engine manufacturer must be observed.

	• ACEA A3/B4		
3	• VW 502 00/505 00		
nditions	<ul> <li>Excellent cold starting properties, even at low temperatures below -25°</li> </ul>		
g properties	A very stable and excellent viscosity behavior and shear stability		
Neutrality towards sealants		<ul> <li>Extensive protection against wear, corrosion and foaming</li> </ul>	
<ul> <li>Low evaporation, thus low oil consumption</li> </ul>		<ul> <li>Extended oil change intervals protect natural resources</li> </ul>	
Data	Unit	Testing under	
72.5	mm²/s	DIN 51659-2:2017-02	
12.0	mm²/s	DIN 51659-2:2017-02	
163		DIN ISO 2909:2004-08	
105		DIN 130 2909.2004-08	
YELLOWBROWN		VISUELL	
	mPa*s		
	nditions g properties umption Data 72.5	<ul> <li>• VW 502 00/505 00</li> <li>• Excellent cold starting properties, e</li> <li>• A very stable and excellent viscosit</li> <li>• Extensive protection against wear,</li> <li>• Extended oil change intervals protection</li> </ul>	

°C

mgKOH/g

ASTM D 7346:2015

ASTM D 2896:2015

Deutsche Ölwerke Lubmin GmbH | Freesendorfer Weg 4 | 17509 Lubmin | Phone +49 38354 / 179530 | Fax +49 38354 / 179579

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments of the Deutsche Ölwerke Lubmin GmbH. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.