

Product Information

AVENO MotorCycle 4 Stroke 10W-30

0002-000130



Description

AVENO MotorCycle 4 Stroke 10W-30 is a heavy-duty engine oil for demanding 4-stroke motorbikes. It allows for fuel-saving engine operation and is specifically designed for wet and lubricated couplings. AVENO MotorCycle 4 Stroke 10W-30 is characterized by its excellent cold starting properties, as it ensures optimum lubrication reliability during the cold-running phase.

Instructions for use

AVENO MotorCycle 4 Stroke 10W-30 is especially suitable as a high-performance, smooth-running engine oil for all motorcycles, when the specification SAE 10W-30 is required. AVENO MotorCycle 4 Stroke 10W-30 meets the high-tech demands of the latest high-performance engine generation. For professional racing we recommend our racing products.

Quality classification

Specification

- API SL
- JASO MA2

Properties

- Excellent cold starting properties
- Very good detergent and dispersing properties
- Low evaporation, thus low oil consumption
- Prevention of silting, varnish, coking and corrosion
- Very stable viscosity index
- Fast lubrication of the engine
- No oil-related deposits in combustion chambers, in piston ring zones and valves

Technical specifications

| Properties | Data | Unit | Testing under |
|------------------------------|-------------|--------------------|--------------------------|
| Kinematic Viscosity at 40°C | 72.1 | mm ² /s | DIN 51659-2:2017-02 |
| Kinematic Viscosity at 100°C | 11.3 | mm ² /s | DIN 51659-2:2017-02 |
| Viscosity Index | 149 | | DIN ISO 2909:2004-08 |
| Appearance | YELLOWBROWN | | VISUELL |
| Viscosity CCS at -25°C | 4710 | mPa*s | ASTM D 5293:2020 |
| Density at 15°C | 860 | kg/m ³ | DIN EN ISO 12185:1997-11 |
| Pour Point | -39 | °C | ASTM D 7346:2015 |
| Total Base Number (TBN) | 8.2 | mgKOH/g | ASTM D 2896:2015 |